


And now do it yourself




The screenshot shows a web browser window titled "td1.html (~/.Enso7/tech_avan/MMEDIA-APP/USTH2012/TP1-USTH)". The browser's address bar and toolbar are visible at the top. Below the toolbar, there are two tabs: "Start Page" and "td1.html". The main content area of the browser is displaying an HTML editor. The editor shows the following code:

```
1 <html>
2 <head>
3   <title></title>
4 </head>
5 <body>
6 <video id="video" src="ct640.ogg" controls width="640" height="320" autobuffer> </video>
7 </body>
8 </html>
9
```


The code is color-coded: blue for tags, black for text, and red for attributes. The video tag on line 6 is highlighted with a red dashed border. To the right of the editor is a "Toolbox" panel with a search bar and a list of tools and samples. The "Samples (6.1.2)" folder is expanded, showing sub-folders like "Abbreviations", "HTML", and "Sample_Macros", along with various utility tools like "Count words... using 'wc'", "Find in Files", "http://slashdot.org/", "Make curren...e writeable", "Open New Window", "Sample Snipp...k to Insert", and "toggle-word-wrap-edit".

At the bottom of the browser window, the status bar shows "Ready" on the left, "Mac-Roman" in the center, and "Ln: 1 Col: 1" on the right. The "HTML" icon is also visible in the bottom right corner.

And now do it yourself



And now do it yourself




The screenshot shows a web browser window with the title "td2.html (~/Ens07/tech_avan/MMEDIA-APP/USTH2012/TP1-USTH)". The browser's address bar and toolbar are visible. The main content area displays the HTML source code for "td2.html". The code is as follows:

```
1 <html>
2 <head>
3   <title></title>
4   <script type="text/javascript;version 1.8" src="td2.js"> </script>
5 </head>
6 <body onload=initialiser()>
7 <video id="video" src="ct640.ogg" controls width="640" height="320" autobuffer> </video>
8 </body>
9 </html>
10
```

The video tag on line 7 is highlighted with a red dashed line. The browser's status bar at the bottom shows "Ready", "Mac-Roman", "Ln: 10 Col: 1", and "HTML". A "Toolbox" panel is visible on the right side of the browser window, containing various utility tools and sample files.

And now do it yourself



And now do it yourself

The screenshot shows a web browser window with the title "td2.html (~/Ens07/tech_avan/MMEDIA-APP/USTH2012/TP1-USTH)". The browser's address bar is empty. The main content area displays the source code of the page, which includes a video player. The video player is defined by the following HTML code:


```
1 <html>
2 <head>
3   <title></title>
4   <script type="text/javascript;version 1.8" src="td2.js"> </script>
5 </head>
6 <body onload=initialiser()>
7 <video id="video" src="ct640.ogg" controls width="640" height="320" autobuffer> </video>
8 </body>
9 </html>
10
```

The video player is currently empty. The browser's status bar at the bottom shows "Ready", "Mac-Roman", "Ln: 10 Col: 1", and "HTML".

On the right side of the browser window, there is a "Toolbox" panel. It contains a search bar and a list of tools and samples:

- Samples (6.1.2)
 - Abbreviations
 - HTML
 - Sample_Macros
 - Count words... using "wc"
 - Find in Files
 - http://slashdot.org/
 - Make curren...e writeable
 - Open New Window
 - Sample Snipp...k to Insert
 - toggle-word-wrap-edit

And now do it yourself




```
1 <html>
2 <head>
3   <title></title>
4   <script type="text/javascript;version 1.8" src="td3.js"> </script>
5 </head>
6 <body onload=initialiser()>
7   <video id="video" src="ct640.ogg" controls width="640" height="320" autobuffer> </video>
8   <canvas width="640" height="320" style="display:none" id="hcanvas"></canvas>
9   <canvas width="320" height="180" id="canvas"></canvas>
10 </canvas>
11 </body>
12 </html>
13
```

Ready | Mac-Roman | Ln: 13 Col: 1 | HTML

Toolbox

- Samples (6.1.2)
 - Abbreviations
 - HTML
 - Sample_Macros
 - Count words... using "wc"
 - Find in Files
 - <http://slashdot.org/>
 - Make curren...e writeable
 - Open New Window
 - Sample Snipp...k to Insert
 - toggle-word-wrap-edit

And now do it yourself



```
1  var video;
2  var hcanvas;
3  var canvas;
4  var ccanvas;
5  var chcanvas;
6
7  function initialiser(){
8    //alert("javascript hello");
9
10   video=document.getElementById("video");
11   //video.play();
12   hcanvas=document.getElementById("hcanvas");
13   canvas=document.getElementById("canvas");
14   ccanvas=canvas.getContext("2d");
15   chcanvas=hcanvas.getContext("2d");
16   video.addEventListener("play",function (){timerCallback();},false);
17
18   //alert("javascript hello");
19   //video.play();
20 }
21
22 function timerCallback(){
23   alert("dans le timerCallback");
24 }
25
```

Ready Mac-Roman | Ln: 16 Col: 68 | Sel: 66 ch, 1 ln | JavaScript